

AUTHOR INDEX

- Abbate-Daga, G., 114
 Abrams, K.Y., 235
 Ahearn, E.P., 179
 Ahn, Y.M., 456
 Alpert, J., 331
 Amianto, F., 114, 431
 Anderson, C.B., 182
 Andreasen, N.C., 393
 Armani, A., 69
 Arndt, S., 393
 Askiit, D., 204

 Balzuweit, S., 385
 Bandelow, B., 269
 Barzegar, G., 28
 Benazzi, F., 263
 Beratis, S., 438
 Berrios, G.E., 1
 Black, D.W., 301
 Blazer, D.G., 41
 Blum, N., 301
 Bogetto, F., 28
 Bollini, A., 175
 Bölte, S., 325
 Boon-Vermeeren, M., 344
 Brähler, E., 74
 Brien, D., 397
 Broocks, A., 269
 Bulik, C.M., 182

 Cadoret, R.J., 404
 Carroll, B.J., 179
 Carter, F.A., 182
 Caspers, K., 404
 Cassano, G.B., 7, 69, 81
 Cassidy, F., 179
 Cassidy, G., 63
 Chapman, A.L., 285
 Chemerinski, E., 393
 Chen, C-C, 158
 Chen, C-S., 443
 Chen, H-M., 158
 Chen, W.J., 158
 Cheng, A.T.A., 158
 Chien, C.P., 474
 Chinman, M.J., 245
 Chung, H-H., 443
 Clements, C.A., 319
 Cohen, L.J., 127
 Connor, K.M., 41
 Conway, C.R., 175
 Corretti, G., 69
 Cullen, K., 127

 Daga, G.A., 431
 Davidson, J.R.T., 41
 Davidson, L.K., 245
 Davis, C., 189
 De Clippele, A., 142
 Deboutte, D., 142

 Dell'Osso, L., 7, 69, 81
 Donati, D., 369
 Donini, M., 369
 Draijer, N., 195
 Drobny, J., 49
 Durst, R., 37

 Eisemann, M., 210
 Endicott, J., 69, 81

 Fagiolini, A., 69
 Farmer, R.F., 285
 Fassino, S., 114, 431
 Fava, M., 331
 Flaum, M., 393
 Fleming, F., 393
 Fossati, A., 369
 Frank, E., 69, 81
 Franklin, C.L., 413
 Fricchione, G., 135
 Friedmann, A., 167
 Fujii, Y., 219

 Gaither, G.A., 215
 Galynker, I.L., 127
 Gans, S.W., 127
 George, L.K., 41
 Goodwin, R.D., 22, 245
 Graham, B.G., 175
 Grant, J.E., 56, 223, 378
 Green, M., 469
 Grilo, C.M., 108, 427
 Grochocinski, V.J., 69, 81
 Gunzelman, T., 74
 Guo, S., 88
 Gutkind, D., 469
 Guttman, H., 448

 Hajak, G., 269
 Hamilton, S.P., 22
 Haring, A., 385
 Hasui, C., 219
 Hayden, J., 469
 Hino, T., 279
 Ho, B-C., 393
 Hughes, D.C., 41

 Iizuka, S., 474
 Itskovich, Y., 127
 Iwasaki, Y., 150

 Jackson, T.D., 108
 Joyce, P.R., 182
 Jung, J.H., 361

 Kang, U.G., 456
 Karam, E.G., 463
 Katerndahl, D.A., 351
 Katz, G., 37
 Keefe, R.S.E., 175

 Kelly, B., 1
 Kennedy, N., 1
 Kim, J.H., 235, 456
 Kim, S.W., 56, 223, 378
 Kim, Y.S., 456
 Kirriike, N., 150
 Kitamura, T., 95, 219
 Klein, D.N., 420
 Klein, E., 127
 Knobler, H.Y., 37
 Koide, R., 474
 Koshiishi, F., 219
 Koshimune, K., 150
 Krecklow, B., 210
 Kupfer, J., 74
 Kupper, Z., 311

 Laibel, Z., 37
 Laird, N.M., 13
 Langbehn, D., 404
 Langeland, W., 195
 Laporte, L., 448
 Lattuada, E., 336
 Lee, B.C., 456
 Lee, H.K., 361
 Leighton, A.H., 13
 Lekka, N.P., 438
 Leombruni, P., 114, 431
 Liberman, R.P., 469
 Lim, D., 121
 Loas, G., 397
 Lyoo, I.K., 235, 361
 Lysacker, P.H., 319

 Mack, A.H., 135
 Maffei, C., 369
 Maina, G., 28
 Mandelli, L., 336
 Marazziti, D., 7
 Marneros, A., 385
 Marshall, B.D., Jr., 469
 Maser, J.D., 69, 81
 Masheb, R.M., 108
 Matsui, T., 150
 Matsunaga, H., 150
 Mavissakalian, M.R., 88
 McDonough, M., 1
 McEvoy, J.P., 63, 175
 McGeoch, P.G., 127
 McGorry, P., 49
 McIntosh, V.V., 182
 McMillen, C., 478
 Melhem, N.M., 463
 Merckelbach, H., 344
 Miles, V., 49
 Mintz, J., 469
 Miyata, A., 150
 Miyata, R., 219
 Modai, I., 229
 Monahan, P., 301

AUTHOR INDEX

- Abbate-Daga, G., 114
 Abrams, K.Y., 235
 Ahearn, E.P., 179
 Ahn, Y.M., 456
 Alpert, J., 331
 Amianto, F., 114, 431
 Anderson, C.B., 182
 Andreasen, N.C., 393
 Armani, A., 69
 Arndt, S., 393
 Askiit, D., 204

 Balzuweit, S., 385
 Bandelow, B., 269
 Barzegar, G., 28
 Benazzi, F., 263
 Beratis, S., 438
 Berrios, G.E., 1
 Black, D.W., 301
 Blazer, D.G., 41
 Blum, N., 301
 Bogetto, F., 28
 Bollini, A., 175
 Bölte, S., 325
 Boon-Vermeeren, M., 344
 Brähler, E., 74
 Brien, D., 397
 Broocks, A., 269
 Bulik, C.M., 182

 Cadoret, R.J., 404
 Carroll, B.J., 179
 Carter, F.A., 182
 Caspers, K., 404
 Cassano, G.B., 7, 69, 81
 Cassidy, F., 179
 Cassidy, G., 63
 Chapman, A.L., 285
 Chemerinski, E., 393
 Chen, C-C, 158
 Chen, C-S., 443
 Chen, H-M., 158
 Chen, W.J., 158
 Cheng, A.T.A., 158
 Chien, C.P., 474
 Chinman, M.J., 245
 Chung, H-H., 443
 Clements, C.A., 319
 Cohen, L.J., 127
 Connor, K.M., 41
 Conway, C.R., 175
 Corretti, G., 69
 Cullen, K., 127

 Daga, G.A., 431
 Davidson, J.R.T., 41
 Davidson, L.K., 245
 Davis, C., 189
 De Clippele, A., 142
 Deboutte, D., 142

 Dell'Osso, L., 7, 69, 81
 Donati, D., 369
 Donini, M., 369
 Draijer, N., 195
 Drobny, J., 49
 Durst, R., 37

 Eisemann, M., 210
 Endicott, J., 69, 81

 Fagiolini, A., 69
 Farmer, R.F., 285
 Fassino, S., 114, 431
 Fava, M., 331
 Flaum, M., 393
 Fleming, F., 393
 Fossati, A., 369
 Frank, E., 69, 81
 Franklin, C.L., 413
 Fricchione, G., 135
 Friedmann, A., 167
 Fujii, Y., 219

 Gaither, G.A., 215
 Galynker, I.L., 127
 Gans, S.W., 127
 George, L.K., 41
 Goodwin, R.D., 22, 245
 Graham, B.G., 175
 Grant, J.E., 56, 223, 378
 Green, M., 469
 Grilo, C.M., 108, 427
 Grochocinski, V.J., 69, 81
 Gunzelman, T., 74
 Guo, S., 88
 Gutkind, D., 469
 Guttman, H., 448

 Hajak, G., 269
 Hamilton, S.P., 22
 Haring, A., 385
 Hasui, C., 219
 Hayden, J., 469
 Hino, T., 279
 Ho, B-C., 393
 Hughes, D.C., 41

 Iizuka, S., 474
 Itskovich, Y., 127
 Iwasaki, Y., 150

 Jackson, T.D., 108
 Joyce, P.R., 182
 Jung, J.H., 361

 Kang, U.G., 456
 Karam, E.G., 463
 Katerndahl, D.A., 351
 Katz, G., 37
 Keefe, R.S.E., 175

 Kelly, B., 1
 Kennedy, N., 1
 Kim, J.H., 235, 456
 Kim, S.W., 56, 223, 378
 Kim, Y.S., 456
 Kirriike, N., 150
 Kitamura, T., 95, 219
 Klein, D.N., 420
 Klein, E., 127
 Knobler, H.Y., 37
 Koide, R., 474
 Koshiishi, F., 219
 Koshimune, K., 150
 Krecklow, B., 210
 Kupfer, J., 74
 Kupper, Z., 311

 Laibel, Z., 37
 Laird, N.M., 13
 Langbehn, D., 404
 Langeland, W., 195
 Laporte, L., 448
 Lattuada, E., 336
 Lee, B.C., 456
 Lee, H.K., 361
 Leighton, A.H., 13
 Lekka, N.P., 438
 Leombruni, P., 114, 431
 Liberman, R.P., 469
 Lim, D., 121
 Loas, G., 397
 Lyoo, I.K., 235, 361
 Lysacker, P.H., 319

 Mack, A.H., 135
 Maffei, C., 369
 Maina, G., 28
 Mandelli, L., 336
 Marazziti, D., 7
 Marneros, A., 385
 Marshall, B.D., Jr., 469
 Maser, J.D., 69, 81
 Masheb, R.M., 108
 Matsui, T., 150
 Matsunaga, H., 150
 Mavissakalian, M.R., 88
 McDonough, M., 1
 McEvoy, J.P., 63, 175
 McGeoch, P.G., 127
 McGorry, P., 49
 McIntosh, V.V., 182
 McMillen, C., 478
 Melhem, N.M., 463
 Merckelbach, H., 344
 Miles, V., 49
 Mintz, J., 469
 Miyata, A., 150
 Miyata, R., 219
 Modai, I., 229
 Monahan, P., 301

- Monson, R.R., 13
 Morita, N., 474
 Mosley, M., 478
 Murphy, J.M., 13
 Murphy, S., 127
- Neault, N., 331
 Ng, B-Y., 121
 Nierenberg, A., 331
 Nierenberg, A.A., 13
 Noam, G.G., 361
 North, C., 478
 Novella, L., 369
- Ong, S-H., 121
 Ortwein-Swoboda, G., 167
 Oya, K., 150
 Özdemir, Ö., 204
- Pallanti, S., 7
 Parchman, M., 351
 Paris, J., 103
 Park, H-J., 456
 Paschalis, C., 438
 Peeters, F., 344
 Pfanner, C., 7
 Pfohl, B., 301
 Philibert, R., 404
 Pierò, A., 431
 Pillmann, f., 385
 Plascak-Hallberg, C.D., 319
 Polania, L., 331
 Polat, A., 204
 Ponziovsky, A., 229
 Posternak, M.A., 253
 Poustka, F., 325
 Poznansky, O., 127
 Presta, S., 7
 Renshaw, P.F., 361
- Richter, G., 210
 Ritsner, M., 229
 Ritter, K., 167
 Robertson, M.J., 469
 Rogers, M.P., 135
 Rovera, G., 431
 Rovera, G.G., 114, 431
 Rucci, P., 69, 81
 Ruchkin, V., 142
 Rudolf, L., 325
 Rüther, E., 269
- Saettoni, M., 81
 Sakamoto, S., 219
 Sandhu, H.K., 404
 Sansone, R.A., 215
 Sarno, N., 81
 Schanda, H., 167
 Schiffman, S.S., 175
 Schwab-Stone, M., 142
 Serretti, A., 336
 Shankman, S.A., 420
 Shear, M.K., 69, 81
 Shlomo, N., 65
 Silove, D., 49
 Silver, H., 65
 Smeraldi, E., 336
 Smith, E., 478
 Smith, M., 331
 Sobol, A.M., 13
 Songer, D.A., 215
 Späth, C., 169
 St. John, D., 301
 Stanic, S., 114
 Stayner, D.A., 245
 Steel, Z., 49
 Stein, D.J., 150
 Stompe, T., 167
 Strauss, Z., 37
 Su, A., 121
- Sugiura, T., 219
 Sung, S.M., 235
 Svrakic, D., 114
 Swartz, M.S., 41
- Takeuchi, T., 279
 Tebes, J.K., 245
 Tedlow, J., 331
 Tichauer, G. Á., 269
 Tomito, T., 95
 Troughton, E.P., 404
 Tschacher, W., 311
 Tükel, R., 204
 Türksoy, N., 204
- van den Brink, W., 195
 Venturello, S., 28
 Vermeiren, R., 142
- Wessel, I., 344
 Wilson, W.H., 63
 Woodside, D.B., 189
 Wright, D.E., 319
 Wu, P., 245
- Yabroudi, P.F., 463
 Yamanouchi, N., 279
 Yang, E., 235
 Yang, Y.K., 63
 Yap, A-K., 121
 Yeh, M-L., 443
 Yen, C-F., 443
 Yon, V., 397
 Yu, W-Y., 158
 Yucuis, R., 404
- Zimmerman, M., 253, 413
 Zlotnick, C., 413
 Zweig-Frank, H., 103

SUBJECT INDEX

- Abuse
 in patients with BPD and PTSD, 44-45
see also types of abuse
 sexual, in patients with BPD and PTSD, 44-45
- ADHD, *see* Attention deficit/hyperactivity disorder
- Adjustment disorder, atypical symptoms, 256
- Adolescents, delinquency
 etiological factors, 210-214
 predicting recidivism in, 142-149
- Adverse life events, early, in patients with BPD and PTSD, 44
- Age
 effects on alexithymia scales of elderly subjects, 78
see also Adolescents; Childhood; Elderly
 and self-harm behaviors in patients with borderline personality disorder, 215-218
- Agoraphobia, comorbidity
 with major depression and bipolar disorder, 247
- Agoraphobia, comorbidity (*Continued*)
 comorbidity with panic attack, 23-24
- Agoraphobic-like symptoms, participation in long-term drug treatment, 88-94
- AGS, *see* Anticipatory Grief Scale
- Akathisia, drug-induced
 clinical characteristics, 458
 subjective emotional experience and cognitive impairment, 456-462
 symptoms, 456
- Alcohol, gender prevalence, 465
- Alcohol abuse, family history, and panic disorder, 274
- Alcohol abuse/dependence, and PTSD vulnerability, 481
- Alcohol dependence
 comorbidity with panic attack, 23-24
 high-dose BZD use in, 440

- Alcohol use disorder, comorbidity with major depression and bipolar disorder, 247
- Alcoholics, treatment-seeking, trauma and dissociation, 195-203
- Alcoholism
and childhood trauma, 195-203
and posttraumatic stress disorder, 195-203
preceding early-onset panic disorder, 28
- Alexithymia
age, gender, and education's effects on elderly subjects, 78
connections with mood, 77
and depression in elderly general population, 74-80
symptoms in family context, 448-455
- AMT, *see* Autobiographical Memory Test
- AN, *see* Anorexia nervosa
- Anhedonia
biological underpinnings, mesolimbic dopamine system, 189-194
and depression, 15-17
in eating disorders, 189-194
and schizophrenia, 65-68
- Anorexia nervosa
and alexithymia in women, 448-455
anhedonia in, 189-194
family dynamics, 114-120
personality characteristics of
patient's parents, 118
subjects, 117
- Anticipatory Grief Scale, 96
- Antipsychotic drugs
akathisia impairment due to, 456-462
insomnia following withdrawal in schizophrenia, 393-396
- Antisocial adult behavior, comorbidity with panic attack, 23-24
- Antisocial personality disorder
comorbidity in personality disorders, 292
comorbidity with panic attack, 23-24
distribution by gender, 428
and heroin use, 463-468
- Anxiety
age of onset in SLE, 139
association with atypical depression, 253-262
- Anxiety disorder
atypical features across, 253-262
comorbidity with kleptomania, 9
effect of jet lag on, 39
gender distributions in kleptomania, 10
high-dose BZD use in, 440
in patients with kleptomania, 381
preceding early-onset panic disorder, 28
relationship with substance abuse in severe affective disorders, 245-252
see also Generalized anxiety disorder; Obsessive-compulsive disorder; Panic disorder; Social phobia
- Anxious-fearful cluster, *see* Personality disorders
- Appetite disturbance, and depression, 15-17
- AQ, *see* Attitude Questionnaire
- Attention deficit hyperactivity disorder
childhood, and BPD in adulthood, 369-377
comorbidity with kleptomania, 9
gender distributions in kleptomania, 10
- Attentional impairment, associated with drug-induced akathisia, 456-462
- Attitude Questionnaire, correlates for hostility in post-acute phase of schizophrenia spectrum disorders, 319-324
- Autism, higher-functioning
cognitive structure, 325-330
separation from schizophrenia, 325-330
- Autobiographical memory specificity, and course of MDD, 344-350
- Autobiographical Memory Test, MDD and autobiographical memory specificity, 344-350
- Avoidant personality disorder
diagnostic comorbidity in personality disorder, 292
diagnostic efficiency statistics for personality disorder, 294
distribution by gender, 428
- Axis I disorders
comorbidity with OCS, 204-209
preceding onset of early-onset panic disorder, 32
- Axis II disorders
and melancholia comorbidity, 331-335
preceding onset of early-onset panic disorder, 32
- Barbiturates, gender prevalence, 465
- Barnes Akathisia Rating Scale, 456-462
- BARS, *see* Barnes Akathisia Rating Scale
- BDHI, *see* Buss-Durkee Hostility Inventory
- BED, *see* Binge eating disorder
- Benzodiazepines
high-dose users, clinical diagnoses, 440
suicide attempts in high-dose users, 438-442
treatment, kleptomania, 8
- Bereavement, compared with grief, 95
- Bereavement Phenomenology Questionnaire, 96
- BEST, *see* Borderline Evaluation of Severity Over Time
- Binge eating disorder
gender differences, 427-430
predictors, 433
temperament and character in obese women with, 431-437
comparison with bulimia nervosa, 108-113
- Bipolar affective disorder
effect of jet lag on, 39
in erotomania, 1-6
- Bipolar depression, atypical symptoms, 256
- Bipolar disorder
and cocaine use, 463-468
comorbidity with panic attack, 23-24
prevalence of comorbid mental disorders, 247
rapid cycling
clinical and demographic features, 336-343
less severe psychotic features, 336-343
lower risk for suicide, 336-343
WMH in children with, 363-366
- Bipolar I disorder, smoking and psychosis in patients with, 63-64
- Bipolar II disorder, relationship of recurrent unipolar disorder to, 263-268
- Birth risk factors, and panic disorder, 269-278
- BN, *see* Bulimia nervosa
- Body dissatisfaction, and eating disorders, 110

- Body dysmorphic disorder
 comorbidity with kleptomania, 9
 gender distributions in kleptomania, 10
- Borderline Evaluation of Severity Over Time, borderline personality disorder, measurement of severity and change, 301
- Borderline personality disorder
 and ADHD in childhood, 369-377
 and alexithymia in women, 448-455
 comorbidity in personality disorder, 292
 diagnostic efficiency statistics for personality disorder, 294
 distribution by gender, 428
 high-dose BZD use in, 440
 impact on post-traumatic stress, 41-48
 and post-traumatic stress symptoms
 demographic characteristics of patients with, 43
 early adverse life events in patients with, 44
 fundamental impairment of patients, 45
 health status and psychotropic medication usage, 44
 predictors of outcome, 103-109
 resistance to psychiatric treatment, 302
 self-harm behaviors across the life cycle, 215-218
 STEPPS treatment, 301-310
- BPD, *see* Borderline personality disorder
- BPQ, *see* Bereavement Phenomenology Questionnaire
- Brain
 fear network, and development of panic disorder, 277
 white matter hyperintensities on MRI in children with psychiatric disorders, 361-368
- Brief Symptom Inventory, 229
- BSI, *see* Brief Symptom Inventory
- Bulimia nervosa
 anhedonia in, 189-194
 comparison with binge-eating disorder, 108-113
 effect of CBT on temperament and character, 182-188
 preceding early-onset panic disorder, 28, 31, 33
- Bupirone, treatment, kleptomania, 8
- Buss-Durkee Hostility Inventory, correlates for hostility in post-acute phase of schizophrenia spectrum disorders, 319-324
- BZD, *see* Benzodiazepines
- California Verbal Learning Test, haloperidol versus risperidone study, 469-473
- Cannabis
 gender prevalence, 465
 use and schizophrenia, 463-468
 use disorder, comorbidity with major depression and bipolar disorder, 247
- CAQ, *see* Childhood Abuse Questionnaire
- Carbamazepine, treatment, erotomania, 5
- CAS, *see* Child Assessment Schedule
- Catatonia, types in schizophrenia, 168
- Catatonic schizophrenia, 167-174
- CBC, *see* Child Behavior Checklist
- CBI, *see* Core Bereavement Items
- CBT, *see* Cognitive-behavioral therapy
- Character
 and adolescent delinquency, 210-214
 in obese women with BED, 431-437
 measurement in anorexia nervosa patients, 114
- Checking compulsion, in OCD, Y-BOCS assessment, 206
- Child abuse, and alcoholism in adulthood, 195-203
- Child Assessment Schedule, prediction of recidivism in adolescents, 143
- Child Behavior Checklist, prediction of recidivism in adolescents, 144
- Childhood, traumatic events and panic disorder, 271-273
- Childhood Abuse Questionnaire, correlates for hostility in post-acute phase of schizophrenia spectrum disorders, 319-324
- Childhood Trauma Questionnaire, MDD and autobiographical memory specificity, 344-350
- Children, brain white matter hyperintensities on MRI in children with psychiatric disorders, 361-368
- CIDI, *see* Composite International Diagnostic Interview
- Ciampi-Tschacher rating scale, symptom trajectories in psychotic episodes, 311-318
- Circadian rhythms, effect of disruption of on major psychiatric disorders, 37-40
- Clark and Watson tripartite model, dimensional classification system, 420
- Cleaning/washing compulsion, in OCD, Y-BOCS assessment, 206
- Clinical Interview for DSM-IV, study of subthreshold PTSD, 413-419
- Cloninger's Tridimensional Personality Questionnaire, psychometric properties and construct validity, 158-166
- Cluster C personality disorders, in early-onset panic disorder patients, 34
- Cocaine
 gender prevalence, 465
 use and bipolar disorder, 463-468
 use disorder, comorbidity with major depression and bipolar disorder, 247
- Cognition, in drug-induced akathisia, 456-462
- Cognitive structure, in higher-functioning autism versus schizophrenia, 325-330
- Cognitive-behavioral systems-based group treatment, borderline personality disorder, 301-310
- Cognitive-behavioral therapy, for bulimia nervosa, effect on temperament and character, 182-188
- Comorbidity
 ADHD and kleptomania, 9
 agoraphobia, major depression, and bipolar disorder, 247
 alcohol
 dependence and panic attack, 23-24
 use disorder, major depression, and bipolar disorder, 247
 antisocial adult behavior and panic attack, 23-24
 anxiety disorder and kleptomania, 9
 axis I disorders and melancholia, 331-335
 bipolar disorder
 and mental disorders, 247
 and panic attack, 23-24
 body dysmorphic disorder and kleptomania, 9
 borderline personality disorder, 292
 cannabis use, major depression, and bipolar disorder, 247
 cocaine use, major depression, and bipolar disorder, 247
 conduct disorder and panic attack, 23-24

Comorbidity (*Continued*)

- dysphoria
 - and OCD, 206
 - and panic attack, 23-24
 - eating disorders and kleptomania, 9
 - GAD and OCD, 206
 - GAD, major depression, and bipolar disorder, 247
 - hallucinogen use, major depression, and bipolar disorder, 247
 - hypochondriasis and OCD, 206
 - impulse control disorder and kleptomania, 9
 - major depression
 - and mental disorders, 247
 - panic attack and mental disorders, 23
 - and panic disorder in subthreshold and full PTSD, 416
 - and PTSD, 416
 - major depressive disorder
 - and axis II disorders, 331-335
 - and panic attack, 23-24
 - mania and OCD, 206
 - melancholia and axis II disorders, 331-335
 - mood disorders and kleptomania, 8, 9
 - nonaffective psychosis and panic attack, 23-24
 - obsessive-compulsive disorder
 - and kleptomania, 8, 9
 - major depression, and bipolar disorder, 247
 - opioid use disorder, major depression and bipolar disorder, 247
 - panic attack, 23-24
 - major depression, and bipolar disorder, 247
 - and OCD, 206
 - and PTSD, 416
 - personality disorders, 292, 334
 - phobia
 - and panic attack, 23-24
 - and OCD, 206
 - psychiatric disorders
 - and kleptomania, 7-12
 - and PTSD in flood survivors, 478-485
 - and substance abuse, 463-468
 - PTSD
 - and panic attack, 23-24
 - and psychiatric disorders, 483
 - schizoaffective disorder, major depression, and bipolar disorder, 247
 - stimulants use, major depression and bipolar disorder, 247
 - substance abuse, 463-468
 - and kleptomania, 9
 - substance dependency and panic attack, 23-24
 - tic disorder and kleptomania, 9
- Composite International Diagnostic Interview, 195-205
- Conduct disorder
 - attention deficit disorder, WMH in children with, 363-366
 - comorbidity with panic attack, 23-24
- Contamination, in OCD, Y-BOCS assessment, 206
- Continuous Performance Test, haloperidol versus risperidone study, 469-473
- Cooperativeness, different scores for obese women with and without BED, 431-437
- Coping
 - self-controlling style, and panic disorder patients, 279-284
 - and therapeutic course in panic disorder patients, 279-284

Core Bereavement Items, 96

- Counting compulsion, in OCD, Y-BOCS assessment, 206
 - CT, *see* Ciompi-Tschacher rating scale
 - CTQ, *see* Childhood Trauma Questionnaire
 - CVLT, *see* California Verbal Learning Test
- DA, *see* Dopaminergic
- Daily living, treatment impact of risperidone versus haloperidol on in refractory schizophrenia, 469-473
- DAPI-Q, *see* Dimensional Assessment of Personality Impairment-Questionnaire
- DD, *see* Delusional disorder
- Death, thoughts of, and depression, 15-17
- Delinquency, adolescent
 - etiological factors, 204-209
 - predicting recidivism in, 142-149
- Delusion, *see also* Erotomania
- Delusional disorder
 - in erotomania, 3
 - reasoning in, 175-178
 - sensory acuity in, 175-178
- Dementia, age of onset in SLE, 139
- Demographics
 - characteristics of high-dose BZD users, 438-332
 - kleptomania, 379
 - rapid cycling bipolar disorder, 336-343
 - subthreshold and full PTSD, 416
- Dependent personality disorder
 - diagnostic comorbidity in personality disorders, 292
 - distribution by gender, 428
 - high-dose BZD use in, 440
- Depression
 - age of onset in SLE, 136-137, 139
 - and alexithymia in elderly population, 74-80
 - atypical, association of anxiety with, 253-262
 - and grief, 99
 - insomnia as forerunner, 13-21
 - and loss of sexual interest, 16-17
 - melancholic and nonmelancholic, comorbidity of personality disorders, 334
 - prediction of severity, 347
 - see also* Major depressive disorder
 - self-disparagement as forerunner, 13-21
 - sleep disturbance as forerunner, 13-21
 - symptoms
 - as predictors of in Stirling County Study, 18
 - reported in Stirling County Study, 16, 17
- Depressive disorders, effect of jet lag on, 39
- Depressive symptoms, associated with drug-induced akathisia, 456-462
- Depressive personality disorder
 - comorbidity in personality disorders, 292
 - diagnostic efficiency statistics for personality disorder, 294
- DEQ, *see* Developmental Experiences Questionnaire
- DES, *see* Dissociative Experiences Scale
- Developmental Experiences Questionnaire, outcome assessment in BPD, 103-109
- Diagnosis, normal and pathological grief, 98-99
- Diagnostic Interview for Borderlines, Revised, outcome assessment in BPD, 103-109

- Diagnostic Interview Schedule
 Borderline Index, 41-48
 Disaster Supplement, psychiatric comorbidity and PTSD, 478-485
 use in Stirling County Study of depression, 13-21
 DIB-R, *see* Diagnostic Interview for Borderlines, Revised
 DIB-R, *see* Revised Retrospective Diagnostic Interview for Borderlines
 Digit Span Distractibility Test, haloperidol versus risperidone study, 469-473
 Dimensional Assessment of Personality Impairment-Questionnaire, study of impulsive personality traits in pedophilia, 127-134
 Dimensional diagnosis, depression, 420-426
 DIS, *see* Diagnostic Interview Schedule
 Dissociation, in treatment-seeking alcoholics, 195-203
 Dissociative Experiences Scale, 195-203
 Dissociative states, achieved with substance abuse, 195-203
 Dissociative trance disorder, personality profiles of patients with, 121-126
 Dopaminergic neurons, activation in reward pathway, 189
 Dreamy hallucinations, in erotomania, 5
 Drug abuse
 and gender, 465
 dependence, and PTSD vulnerability, 481
 Drug treatment, long-term for panic disorder, factors affecting, 88-94
 DSDT, *see* Digit Span Distractibility Test
 Duke Social Support and Stress Scale, 352-353
 DUSOCS, *see* Duke Social Support and Stress Scale
 DysD, *see* Dysthymic disorder
 Dysmorphophobia, preceding early-onset panic disorder, 28, 31, 33
 Dysphoria
 atypical symptoms, 256
 comorbidity
 with OCD, 206
 with panic attack, 23-24
 and depression, 15-17
 Dysthymic disorder
 dimensional diagnosis versus categorical diagnostic system, 420-426
 relationship to baseline symptoms, 13-21
 Eating disorders
 as autoaddiction, 189
 comorbidity with kleptomania, 9
 gender distributions in kleptomania, 10
 in patients with kleptomania, 381
 relationship to teasing about physical appearance, 108-113
see also Anorexia nervosa; Binge eating disorders; Bulimia nervosa
 sensitivity to reward in, 189-194
 Education, effects on alexithymia scales of elderly subject, 78
 Elderly, alexithymia in, 74-80
 Electroconvulsive therapy, treatment, kleptomania, 8
 Emotional experience, subjective, in drug-induced akathisia, 456-462
 Emotions, *see also* Anhedonia
 Empathy, symptoms in family context, 448-455
 Environmental influences, in kleptomania, 223-228
 EPQ, *see* Eysenck Personality Questionnaire
 Erotomania, 1-6
 characteristics of patients, 4, 5
 diagnosis, 1-2, 3
 Ellis and Mellsop criteria, 3
 prognosis, 5
 rarity of cases, 4
 Erratic-dramatic cluster, *see* Personality disorders
 ETIG, *see* Expanded Texas Inventory of Grief
 EuropASI, *see* European Addiction Severity Index
 European Addiction Severity Index, 195-205
 Exercisers, nonexcessive, anhedonia in, 189-194
 Exercise, sensitivity to reward effects in eating disorders, 189-194
 Expanded Texas Inventory of Grief, 96
 Eysenck Personality Questionnaire
 predictive value, 123
 study of dissociative trance disorder, 121-126
 FACES, *see* Family Adaptability and Cohesion Evaluation Scale
 Families, alexithymia in, 448-455
 Family, burden of mental illness on, 219-222
 Family Adaptability and Cohesion Evaluation Scale, study of burden of mental illness on family, 219-222
 Family dynamics, and anorexia nervosa, 114-120
 Family history
 and panic disorder, 269-278
 and pathological gambling disorder, 58-59
 kleptomania, 11
 Family History Research Diagnostic Criteria, in cases of kleptomania, 7-12
 Family History Screen, relationship of unipolar and bipolar II disorders, 263-268
 Fatigue, and depression, 16-17
 FCQ, *see* Frankfurt Complaint Questionnaire
 Fear network in brain, and development of panic disorder, 277
 Flesh masses, schizophrenic percepts of in Rorschach test, 474-477
 Flood survivors, psychiatric disorders comorbidity and PTSD in, 478-485
 Food, sensitivity to reward effects of in eating disorders, 189-194
 Frankfurt Complaint Questionnaire, dimensional structure, 397-403
 Frontal lobes, WMH in children with psychiatric disorders, 361-368
 GAF, *see* Global Assessment of Functioning
 Gamblers, pathological, gender differences in those seeking medication treatment, 56-62
 Gamblers Anonymous, treatment, pathological gambling disorder in men and women, 59
 GEI, *see* Grief Experience Inventory
 Gender, and alexithymia, 448-455
 Gender
 alcoholism, 465
 alexithymia, 78, 448-455
 binge eating disorder, 427-430
 body dysmorphic disorder, 10
 in brief psychotic disorder, 387

Gender (*Continued*)

- comorbidity patterns in kleptomania, 8, 10
- dependent personality disorder, 428
- differences
 - in BED, 427-430
 - in DSM-IV personality disorders, 427-430
 - in pathological gamblers seeking medication treatment, 56-62
- distribution of DSM-IV personality disorders by, 428
- drug abuse, 465
- effects on alexithymia scales of elderly subjects, 78
- kleptomania, 10
- major depressive disorder, 427-430
- obsessive-compulsive disorder, 428
- pathological gambling disorder, 56-62
- personality disorders, 428
- and prevalence of abused substances, 465
- Generalized anxiety disorder
 - atypical symptoms, 256
 - comorbidity with major depression and bipolar disorder, 247
 - comorbidity with OCD, 206
 - and PTSD vulnerability, 481
- GEQ, *see* Grief Experience Questionnaire
- Global Assessment of Functioning
 - follow-up study of panic disorder patients, 279-284
 - outcome assessment in BPD, 103-109
 - study of burden of mental illness on family, 219-222
- GMS, *see* Grief Measurement Scale
- GRI, *see* Grief Resolution Index
- Grief
 - clinical and research measures, 96-102
 - compared with bereavement, 95
 - in specific situations, clinical and research measures, 97-98
 - normal versus pathological, 98-99
 - pathological, 99
- Grief Experience Inventory, 95, 96
- Grief Experience Questionnaire, 96
- Grief Measurement Scale, 95, 96
- Grief Reaction Measure, 96
- Grief Resolution Index, 96
- GRM, *see* Grief Reaction Measure
- Hallucinations, tactile, in erotomania, 5
- Hallucinogen use disorder, comorbidity with major depression and bipolar disorder, 247
- Haloperidol
 - versus risperidone, treatment impact on daily living in refractory schizophrenia, 469-473
 - treatment, erotomania, 4
- HAMD, *see* Hamilton Rating Scale for Depression
- HAM-D, *see* Hamilton Rating Scale for Depression
- Hamilton Rating Scale for Anxiety, OCD study, 204-209
- Hamilton Rating Scale for Depression
 - features of rapid cycling bipolar disorder, 336-343
 - measurement of sleep quality in schizophrenia study, 393-396
 - melancholia and axis II disorders comorbidity, 331-335
 - OCD study, 204-209
- Harm avoidance
 - different scores for obese women with and without BED, 431-437

Harm avoidance (*Continued*)

- high in anorectic triad, 117
- increased in kleptomania, 223-228
- Harrassment, and erotomania, 2, 5
- Harvard Trauma Questionnaire, study of impact of torture on post-traumatic stress symptoms in Tamil refugees, 49-55
- Health-Sickness Rating Scale, use in BPD study, 104
- Heroin
 - gender prevalence, 465
 - use and antisocial personality disorder, 463-468
- Histrionic personality disorder
 - comorbidity in personality disorder, 292
 - distribution by gender, 428
 - high-dose BZD use in, 440
- Hoarding
 - collecting, in OCD, Y-BOCS assessment, 206
 - saving, in OCD, Y-BOCS assessment, 206
- HOPA polymorphism, association with major depression and phobia, 404-410
- Hospitalization, predictive value of insight for in schizophrenia, 443-447
- Hostility, in post-acute phase of schizophrenia spectrum disorders, correlates, 319-324
- HRSA, *see* Hamilton Rating Scale for Anxiety
- HRSD, *see* Hamilton Rating Scale for Depression
- HSRS, *see* Health-Sickness Rating Scale
- HTQ, *see* Harvard Trauma Questionnaire
- Hypochondriasis, comorbidity with OCD, 206
- ICG, *see* Inventory of Complicated Grief
- Impulse control disorder
 - comorbidity with kleptomania, 9
 - gender distributions in kleptomania, 10
 - in patients with kleptomania, 381
 - see also* Kleptomania
- Impulsive personality traits, in male pedophiles, 127-134
- Insomnia
 - as forerunner of depression, 13-21
 - following antipsychotic withdrawal in schizophrenia, 393-396
- Intelligence scores, adolescent recidivists versus nonrecidivists, 145
- Interpersonal Reactivity Index, 448-455
- Interviews, measurement of OCD and SAD spectra, 81-87
- Inventory of Complicated Grief, 96
- IRI, *see* Interpersonal Reactivity Index
- Jet lag
 - and melatonin, 40
 - exacerbation of major psychiatric disorders, 37-40
- J-TCI, *see* Junior Temperament and Character Inventory
- Junior Temperament and Character Inventory, study of etiological factors of adolescent delinquency, 210-214
- Kleptomania
 - clinical characteristics and associated psychopathology, 378-384
 - clinical features and comorbidity, 7-12
 - comorbidity
 - with mood disorders, 8
 - with OCD, 8

Kleptomania (*Continued*)

- demographic characteristics, 379
 - DSM-IV diagnoses in patients with, 381
 - familial comorbidity, 11
 - gender distributions of comorbidity, 8, 10
 - lifetime comorbid DSM-IV diagnoses, 9
 - parental care and protection in patients with, 225
 - temperament and early environmental influences, 223-228
 - treatment, selective serotonin re-uptake inhibitors, 8
 - triggers for stealing, 381
- Lazarus Type Stress Coping Inventory, follow-up study of panic disorder patients, 279-284
- Leipzig Mood Questionnaire, 76, 78
- Letter-Number Sequencing Subtest of the WAIS-III, correlates for hostility in post-acute phase of schizophrenia spectrum disorders, 319-324
- Liebowitz scale, social phobia, 82
- Life events
- early traumatic, and panic disorder, 269-278
 - stressful, preceding early-onset panic disorder, 32, 33
- Lithium, treatment, erotomania, 5
- MADRS, *see* Montgomery-Asberg Depression Rating Scale
- Magnetic resonance imaging, brain white matter hyperintensities in children with psychiatric disorders, 361-368
- Major depression
- association of *HOPA* polymorphism with, 404-410
 - comorbidity in PTSD, 416
 - prevalence of comorbid mental disorders, 247
- Major depressive disorder
- and axis II comorbidity, 331-335
 - comorbidity with panic attack, 23-24
 - course, and autobiographical memory specificity, 344-350
 - dimensional diagnosis versus categorical diagnostic system, 420-426
 - gender differences, 427-430
 - in OCD patients, 204-209
 - and PTSD vulnerability, 481
 - smoking rates in patients with, 63
- Major depressive episode
- atypical symptoms, 256
 - relationship to baseline symptoms, 13-21
- Mania, comorbidity
- with OCD, 206
 - with panic attack, 23-24
- Manic episodes, recurrent, symptom profile consistency in, 179-181
- Mass of flesh, schizophrenic Rorschach percepts, 474-477
- MCMI-II, *see* Millon Clinical Multiaxial Inventory-II
- MDD, *see* Major depressive disorder
- MDE, *see* Major depressive episode
- Medicinal opiate derivatives, gender prevalence, 465
- Melancholia, and axis II comorbidity, 331-335
- Melatonin, and jet lag, 40
- Memory, autobiographical
- specificity of and course of MDD, 344-350
 - specificity of relationship to self-reported childhood traumatization, 346
- Mental illness, burden on family members, 219-222
- Mesolimbic dopamine system, and anhedonia, 189-194

- Millon Clinical Multiaxial Inventory-II, study of impulsive personality traits in pedophilia, 127-134
- Montgomery-Asberg Depression Rating Scale, MDD and autobiographical memory specificity, 344-350
- Mood, connections with alexithymia, 77, 80
- Mood disorders
- atypical features across, 253-262
 - comorbidity with kleptomania, 8, 9
 - gender distributions in kleptomania, 10
 - high-dose BZD use in, 440
 - in patients with kleptomania, 381
 - preceding early-onset panic disorder, 28
 - rapid cycling, clinical and demographic features, 336-343
 - see also* Bipolar disorder; Major depressive disorder
 - in SLE, 138, 139
- Mood spectrum, instruments for measuring, 69-73
- Mood stabilizers, treatment, kleptomania, 8
- Mood-manic domain, structure in MOOD-SR instrument, 72
- MOODS, SR, compared with SCI-MOODS instrument, 69-73
- MOOD-SR, structure of the "mood-manic" domain, 72
- Narcissistic personality disorder
- comorbidity in personality disorders, 292
 - diagnostic efficiency statistics for personality disorder, 294
 - distribution by gender, 428
 - high-dose BZD use in, 440
- National Comorbidity Survey, relationship between early-onset panic attack and severe psychopathology, 22-27
- Neurocognition, effects of haloperidol versus risperidone on in refractory schizophrenia, 469-473
- Neuropsychiatric systemic lupus erythematosus, evidence in support of Weinberger hypothesis, 135-141
- Neuroticism, and early-onset panic disorder, 34
- Nonaffective psychosis, comorbidity with panic attack, 23-24
- Novelty seeking
- differing scores for obese women with and without BED, 431-437
 - in kleptomania, 223-228
 - low in anorectic triad, 117
- NSLE, *see* Neuropsychiatric systemic lupus erythematosus
- Obesity
- and BED, 431-437
 - with BED, higher risk for personality disorders, 431-437
 - comparison between severe and moderate, 434
- Obsessive Compulsive Spectrum, measuring social anxiety and OCD spectra, 81-87
- Obsessive-compulsive disorder
- atypical symptoms, 256
 - comorbid conditions, 204-209
 - comorbidity
 - of axis I disorders with, 204-209
 - with kleptomania, 8, 9
 - with major depression and bipolar disorder, 247
 - in personality disorders, 292 - content of symptoms, 153
 - demographic characteristics of patients, 205
 - demographic profiles of patients, 153
 - diagnostic efficiency statistics for personality disorder, 294
 - distribution by gender, 428

- Obsessive-compulsive disorder (*Continued*)
 measurement of spectrum, interviews and self-report instruments, 81-87
 and pathological gambling disorder, 56-62
 symptoms assessed with Y-BOCs Symptom Checklist, 206
 with poor insight, 150-157
- Obsessive-Compulsive Spectrum Self-Report Version, 83
- OBS-SR, *see* Obsessive-Compulsive Spectrum Self-Report Version
- OCD, *see* Obsessive-compulsive disorder
- Odd-eccentric cluster, *see* Personality disorders
- OPCRIT, *see* Operational Criteria for Psychotic Illness checklist
- Operational Criteria for Psychotic Illness checklist, features of rapid cycling bipolar disorder, 336-343
- Opioid use disorder, comorbidity with major depression and bipolar disorder, 247
- Own Memories on Parenting questionnaire, study of etiological factors of adolescent delinquency, 210-214
- Panic
 with agoraphobia, atypical symptoms, 256
 without agoraphobia, atypical symptoms, 256
- Panic attack
 comorbidity with major depression and bipolar disorder, 247
 early-onset fearful, possible prodrome of early-onset severe psychopathology, 22-27
 and suicidal ideation, 24-25
 use of Stress Process Model in explaining outcome, 358-359
- Panic disorder
 abnormality in fear network in brain, 277
 comorbidity
 in PTSD, 416
 with OCD, 206
 early traumatic life events, 269-278
 early-onset
 axis I disorders preceding onset, 32
 axis II disorders preceding onset, 32
 cluster C personality disorders in patients with, 34
 family comparison, 30-31
 premorbid conditions and precipitating events, 28-36
 sociodemographic and clinical characteristics, 31
 stressful life events preceding, 32, 33
 follow-up study of patients, 279-284
 participation in long-term drug treatment study, 88-94
 and PTSD vulnerability, 481
- PANSS, *see* Positive and Negative Symptoms Scales
- Paranoid personality disorder
 comorbidity in personality disorders, 292
 diagnostic efficiency statistics for personality disorder, 294
 distribution by gender, 428
- Parental attitudes, unfavorable, and panic disorder, 269-278
- Parental Bonding Index, outcome assessment in BPD, 103-109
- Parental Bonding Instrument, study of temperament and early environmental influences in kleptomania, 223-228
- Parental rearing, and adolescent delinquency, 210-214
- Passive-aggressive
 comorbidity in personality disorders, 292
 diagnostic efficiency statistics for personality disorder, 294
- Pathological gambling disorder
 clinical characteristics of men and women with, 57
- Pathological gambling disorder (*Continued*)
 gender differences, 56-62
 personal and legal problems of men and women, 58
 treatment history of men and women, 59
 triggers to gambling in men and women, 58
- PBI, *see* Parental Bonding Index
- PBI, *see* Parental Bonding Instrument
- PBS, *see* Perinatal Bereavement Scale
- PD, *see* Panic disorder
- Pedophilia
 as compulsive-aggressive disorder, 127-134
 impulsive personality traits in, 127-134
- PERI-D, *see* Psychiatric Epidemiological Research Interview-Demoralization Scale
- Perinatal Bereavement Scale, 96
- Perinatal Grief Scale, 96
- Persecution, statistical association with PTSD, 53
- Persistence, high in anorectic triad, 117
- Personal inadequacy, *see* Self-disparagement
- Personality disorder, internal consistency of criteria, 292-293
- Personality disorder
 assessment versus definition, 285-300
 atypical features across, 253-262
 cluster C, in early-onset panic disorder patients, 34
 comorbidity
 and covariation based on SCID-II data, 291-292
 in melancholic and nonmelancholic depression, 334
 diagnoses based on SCID-II-PQ and SCID-II data, 290-291
 DSM-IV
 distribution by gender, 428
 gender differences, 427-430
 evaluation of DSM-IV criteria assessed by Structured Clinical Interview, 285-300
 high risk for in obese women with BED, 431-437
 high-dose BZD use in, 440
 in OCD, 153
 in parents of anorexia nervosa patients, 119
 reliability of diagnoses, symptom ratings, and dimensional scores, 288-289
 sensitivity, specificity, and predictive power of criterion features, 293-295
- PFAMC, *see* Psychological factors affecting medical condition
- PFL, *see* Present Feeling About Loss
- PGD, *see* Pathological gambling disorder
- Phobia
 association of *HOPA* polymorphism with, 404-410
 comorbidity with panic attack, 23-24
 simple, comorbidity
 with major depression and bipolar disorder, 247
 with OCD, 206
 social, comorbidity
 with major depression and bipolar disorder, 247
 with OCD, 206
- PHS, *see* Piedmont Health Survey
- Physical Anhedonia scale, 191
- Physical appearance, teasing about and eating disorders, 108-113
- Piedmont Health Survey, identification of post-traumatic symptoms, 41
- Pimozide, treatment, erotomania, 5
- Polydrug abuse, and psychiatric disorders, 463-468

- Poor insight, in OCD, 150-157
- Positive and Negative Symptoms Scales
 correlates for hostility in post-acute phase of schizophrenia spectrum disorders, 319-324
 study of burden of mental illness on family, 219-222
 symptoms trajectories in psychotic episodes, 311-318
- Posttraumatic stress disorder,
 and alcoholism, 195-203
 atypical symptoms, 256
 comorbidity with panic attack, 23-24
 fundamental impairment of patients, 45
 psychiatric comorbidity of specific symptoms, 483
 psychiatric comorbidity in flood survivors, 478-485
 subthreshold
 clinical relevance, 413-419
 delineated from full PTSD, 413-419
 vulnerability to and prior psychiatric disorder, 479-480
- Post-traumatic stress symptoms
 demographic characteristics of patients with, 43
 health status and psychotropic medication usage, 44
 impact of
 borderline personality disorder on, 41-48
 torture on, 49-55
- Prediction, outcome in BPD, 103-109
- Present Feeling About Loss, 96
- Prognosis, erotomania, 5
- Psychiatric disorders
 comorbidity with substance abuse, 463-468
 exacerbation by jet lag, 37-40
 in family, and panic disorder, 273-274
 prior, and PTSD vulnerability, 479-480
 white matter hyperintensities on MRI of brain in children, 361-368
- Psychiatric Epidemiological Research Interview-Demoralization Scale, 229
- Psychiatric patients, assessing psychological distress in, 229-234
- Psychological distress
 assessment in psychiatric patients, 229-234
 self-reported, 231
 temporal changes, 232
- Psychological factors affecting medical condition, high-dose BZD use in, 440
- Psychological symptoms, in family context, 448-455
- Psychomotor disturbance, and depression, 16-17
- Psychopathology
 adolescent recidivists versus nonrecidivists, 145
 early-onset severe, early-onset fearful panic attack as possible prodrome, 22-27
- Psychosis
 age of onset in SLE, 136-137, 139
 effect of jet lag on, 39
 schizophrenia-like, versus schizophrenia, 316
 and smoking in patients with bipolar I disorder, 63-64
- Psychotic disorder
 DSM-IV brief, comparison with positive schizophrenia and controls, 385-392
 effect of jet lag on, 39
- Psychotic episodes, schizophrenia, symptom trajectories in, 311-318
- Psychotic features, less severe in rapid cycling bipolar disorder, 336-343
- PTSD, *see* Post-traumatic stress disorder
- Questionnaire for the Assessment of the Subject's Own Body, 76, 78
- Rapid cycling mood disorder, clinical and demographic features, 336-343
- RDC, *see* Research Diagnostic Criteria
- Reasoning, in delusional disorder, 175-178
- Recidivism
 prediction in delinquent adolescents, 142-149
 risk factors, multivariate analysis, 146
- Religious obsession, in OCD, Y-BOCS assessment, 206
- Repeating compulsion, in OCD, Y-BOCS assessment, 206
- Research Diagnostic Criteria, 421
- Revised Retrospective Diagnostic Interview for Borderlines, 448-455
- Revised Wechsler Intelligence Scale for Adults, use in distinguishing higher-functioning autism from schizophrenia, 325-330
- Revised Wechsler Intelligence Scale for Children, use in distinguishing higher-functioning autism from schizophrenia, 325-330
- Risk factors, recidivism, multivariate analysis, 146
- Risperidone
 treatment, erotomania, 3
 versus haloperidol, treatment impact on daily living in refractory schizophrenia, 469-473
- Rorschach test, schizophrenic percepts of mass of flesh in, 474-477
- SAD, *see* Social anxiety disorder
- SADS, *see* Schedule for Affective Disorders and Schizophrenia
- SAI, *see* Schedule of Assessment of Insight
- SANS, *see* Schedule of the Assessment of Negative Symptoms
- SAS, *see* Social Adjustment Scale
- SAS-SR, *see* Social Adjustment Scale
- Scale for Manic States, study of symptom profile consistency between episodes of mania, 179-181
- Scale for the Assessment of Negative Symptoms, symptom severity in schizophrenia, 393-396
- Scale for the Assessment of Positive Symptoms, symptom severity in schizophrenia, 393-396
- Schedule for Affective Disorders and Schizophrenia, MDD study, 422
- Schedule of Assessment of Insight, insight score for schizophrenic outpatients, 443-447
- Schedule of the Assessment of Negative Symptoms, in study of anhedonia and schizophrenia, 65
- Schizoaffective disorder
 comorbidity with major depression and bipolar disorder, 247
 effect of jet lag on, 39
- Schizoid personality disorder, distribution by gender, 428
- Schizophrenia spectrum disorders, hostility in post-acute phase, correlates, 319-324
- Schizophrenia
 and anhedonia, 65-68
 and cannabis use, 463-468
 catatonic, 167-174

- Schizophrenia (*Continued*)
 DSM-IV Diagnostic Criteria, 169
 frequency, 168
 prevalence, 171
 symptoms, 168
 cognitive functioning, 325-330
 comorbidity with
 major depression and bipolar disorder, 247
 OCD, 206
 effect of jet lag on, 39
 in erotomania, 3, 5-6
 insomnia following antipsychotic withdrawal, 393-396
 positive, comparison with DSM-IV brief psychotic disorder and controls, 385-392
 predictive value of insight for suicide, violence, hospitalization, and social adjustment, 443-447
 refractory, risperidone versus haloperidol treatment impact on daily living, 469-473
 Rorschach percepts of mass of flesh, 474-477
 separation from higher-functioning autism, 325-330
 symptom trajectories in psychotic episodes, 311-318
 use of Frankfurt Complaint Questionnaire in, 397-403
 versus schizophrenia-like psychosis, 316
 WMH in children with, 363-366
- Schizotypal disorders, high-dose BZD use in, 440
- Schizotypal personality disorder
 comorbidity in personality disorders, 292
 diagnostic efficiency statistics for personality disorder, 294
 distribution by gender, 428
- SCID-II, *see* Structured Clinical Interview for DSM-IV Personality Disorders
- SCI-MOODS, *see* Structured Clinical Interview for Mood Spectrum
- SCI-OBS, *see* Structured Clinical Interview for Social Anxiety Spectrum
- SCL-90, *see* Symptom Check List-90
- SCL-90-R, *see* Symptom Check List-90
- SDS, *see* Self-Rating Depression Scale
- Sedative use disorder, comorbidity with major depression and bipolar disorder, 247
- Self-directedness, lower scores for in obese women with BED, 431-437
- Self-disparagement, forerunner of depression, 13-21
- Self-Esteem Scale, features of rapid cycling bipolar disorder, 336-343
- Self-harm behaviors, in borderline personality disorder patients across the life cycle, 215-218
- Self-Rating Depression Scale, MDD and autobiographical memory specificity, 344-350
- Self-report instruments
 compared with interview instrument in measuring mood spectrum, 69-73
 measurement of OCD and SAD spectra, 81-87
- Sensory acuity, in delusional disorder, 175-178
- Separation anxiety disorder, association with early-onset panic disorder, 33
- SES, *see* Self-Esteem Scale
- Severe affective disorder, relationship between anxiety and substance abuse disorders, 245-252
- Sexual abuse, in patients with BPD and PTSD, 44-45
- Sexual interest, loss of, and depression, 16-17
- Sexual obsession, in OCD, Y-BOCS assessment, 206
- SHAPS, *see* Snaith-Hamilton Pleasure Scale
- Simple phobia, comorbidity with major depression and bipolar disorder, 247
- Sleep disturbance
 as forerunner of depression, 13-21
see also Insomnia
- Smoking
 and psychosis in patients with bipolar I disorder, 63-64
 rates in major depressive disorder patients, 63
- Snaith-Hamilton Pleasure Scale, in study of anhedonia and schizophrenia, 65-68
- Social adjustment, predictive value of insight for in schizophrenia, 443-447
- Social Adjustment Scale
 features of rapid cycling bipolar disorder, 336-343
 outcome assessment in BPD, 103-109
- Social anxiety disorder, measurement of spectrum, interviews and self-report instruments, 81-87
- Social phobia
 atypical symptoms, 256
 comorbidity with major depression and bipolar disorder, 247
- Socioeconomic status, and predictors of mental health outcome, 357
- Sodium valproate, treatment, erotomania, 5
- Somatic obsession, in OCD, Y-BOCS assessment, 206
- Somatoform disorders, high-dose BZD use in, 440
- SSRI, *see* Selective serotonin re-uptake inhibitors
- STEPPS, treatment, borderline personality disorder, 301-310
- STI, *see* Structured Trauma Interview
- Stimulant use disorder, comorbidity with major depression and bipolar disorder, 247
- Stimulants, gender prevalence, 465
- Stirling County Study
 depression, 13-21
 age and sex characteristics, 14
- Stress Coping Inventory, follow-up study of panic disorder patients, 279-284
- Stress Process Model, and mental health outcomes, 351-360
- Structured Clinical Interview for DMS-IV, assessment of obese women with BED, 431-437
- Structured Clinical Interview for DSM-III-R
 axis I disorders, study of burden of mental illness on family, 219-222
- Patient Edition, melancholia and axis II disorders comorbidity, 331-335
 study of relationship between anxiety and substance abuse, 245-252
- Structured Clinical Interview for DSM-IV
 clinical characteristics and associated psychopathology in kleptomania, 378-384
 panic disorder study, 269-278
 relationship of unipolar and bipolar II disorders, 263-268
 in study of early-onset panic disorder, 29
 study of temperament and early environmental influences in kleptomania, 223-228
 use in study of pathological gambling disorder and gender, 56-62
- Structured Clinical Interview for DSM-IV Patient Edition, 83

- Structured Clinical Interview for DSM-IV Personality Disorders, evaluation of DSM-IV personality disorder criteria, 285-300
- Structured Clinical Interview for Mood Spectrum, comparison with self-report instruments, 69-73
- Structured Clinical Interview for Social Anxiety Spectrum, measuring social anxiety disorder and OCD spectra, 81-87
- Structured Interview for DSM-IV Personality Disorders, assessment of atypical features across mood, anxiety, and personality disorders, 253-262
- Structured Interview for DSM-IV, assessment of atypical features across mood, anxiety, and personality disorders, 253-262
- Structured Trauma Interview, 195-205
- Substance abuse
to achieve dissociative state, 195-203
comorbidity, 463-468
with kleptomania, 9
disorders
in patients with kleptomania, 381
see also Alcohol abuse
gender distributions in kleptomania, 10
need for careful psychiatric assessment, 463-468
relationship with anxiety disorders in severe affective disorders, 245-252
- Substance dependence, comorbidity with panic attack, 23-24
- Suicidal ideation, and panic attack, 24-25
- Suicide attempts, independent characteristics for history of, 441
- Suicide
attempts in high-dose benzodiazepine users, 438-442
in borderline personality disorder, 301
lower risk for in rapid cycling bipolar disorder, 336-343
predictive value of insight for in schizophrenia, 443-447
thoughts of, and depression, 15-17
- Sulpiride, treatment, erotomania, 4
- Symmetry/exactness, in OCD, Y-BOCS assessment, 206
- Symptom Checklist-90
anhedonia study, 191
outcome assessment in BPD, 103-109
use in BPD study, 104
- Symptom Checklist-90-R, 448-455
- Symptom Checklist-90-Revised, 456-462
- Symptom profiles, consistency between episodes of mania, 179-181
- Systemic lupus erythematosus, neuropsychiatric, evidence in support of
- Weinberger hypothesis, 135-141
- Systems Training for Emotional Predictability and Problem Solving, treatment, borderline personality disorder, 310-310
- Talbieh Brief Distress Inventory, assessment of psychological distress in psychiatric patients, 229-234
- TAS-20, *see* Toronto Alexithymia Scale
- TAS-26, *see* Toronto Alexithymia Scale
- TBDI, *see* Talbieh Brief Distress Inventory
- TCI, *see* Temperament and Character Inventory
- Teasing, relationship to eating disorders, 108-113
- Temperament
and adolescent delinquency, 210-214
Temperament (Continued)
in kleptomania, 223-228
measurement in anorexia nervosa patients, 114, 117
in obese women with BED, 431-437
- Temperament and Character Inventory
assessment of obese women with BED, 431-437
Korean version, reliability and validity, 235-243
measurement of effect of CBT for bulimia nervosa, 182-188
in study of anorexia nervosa and family dynamics, 114-120
study of etiological factors of adolescent delinquency, 210-214
- Texas Inventory of Grief, 95, 96
- Therapeutic course, and coping in panic disorder patients, 279-284
- Tic disorder
comorbidity with kleptomania, 9
gender distributions in kleptomania, 10
- TIG, *see* Texas Inventory of Grief
- Time zone change, *see* Jet lag
- Toronto Alexithymia Scale
alexithymia in the elderly, 74, 75
alexithymia in families, 448-455
- Torture
impact on post-traumatic stress symptoms, 49-55
statistical association with PTSD, 53
- TPQ, *see* Tridimensional Personality Questionnaire
- Trance phenomena, 121
- Tranquilizers, gender prevalence, 465
- Trauma
and panic disorder in childhood, 271-273
see also Abuse; Child abuse; Posttraumatic stress disorder;
Sexual abuse
in treatment-seeking alcoholics, 195-203
- Trazodone, treatment, kleptomania, 8
- Tricyclic antidepressants, treatment, kleptomania, 8
- Tridimensional Personality Questionnaire
psychometric properties and construct validity, 158-166
study of temperament and early environmental influences in kleptomania, 223-228
use in anorexia nervosa study, 115
- Trifluoperazine, treatment, erotomania, 3
- Unipolar depression
atypical symptoms, 256
WMH in children with, 363-366
- Unipolar disorder, recurrent, related to bipolar II disorder, 263-268
- Violence
and erotomania, 5
predictive value of insight for in schizophrenia, 443-447
- Vulnerability, PTSD and prior psychiatric disorder, 478-485
- WAIS-III, *see* Wechsler Adult Intelligence Scale III
- WAIS-R, *see* Revised Wechsler Intelligence Scale for Adults
- WCST, *see* Wisconsin Card Sorting Test
- Wechsler Adult Intelligence Scale III, correlates for hostility in post-acute phase of schizophrenia spectrum disorders, 319-324
- Wechsler Memory Scale, 456-462

- Weinberger hypothesis, evidence in support of for NSLE, 135-141
- Wender Utah Rating Scale, in study of childhood ADHD correlation with adult BPD, 369-377
- White matter hyperintensities, brain, on MRI in children with psychiatric disorders, 361-368
- Widowhood Questionnaire, 97
- Wisconsin Card Sorting Test, haloperidol versus risperidone study, 469-473
- WISC-R, *see* Revised Wechsler Intelligence Scale for Children
- WMH, *see* White matter hyperintensities
- WQ, *see* Widowhood Questionnaire
- WURS, *see* Wender Utah Rating Scale
- Yale-Brown Obsessive Compulsive Scale, 82
OCD study, 204-209
assessment of poor insight in OCD, 150-157
- Y-BOCS, *see* Yale-Brown Obsessive Compulsive Scale

